




NOTES:
 All dimensions in metres.
 Do not scale from drawing.
 For any discrepancies found please consult with design office.
 This drawing is for PLANNING purposes only.
 Not for Construction.

Legend:
 Note: Drawing To Be Read in Conjunction With Irish Water: Water Infrastructure Standard Details Document Number: IW-CDS-5030-01 & Irish Water Code of Practice for Wastewater Infrastructure: IW-CDS-5030-03
 Standard separation distances refer to STD-WW-05 & STD-WW-06

- Foul Manhole (STD-WW-09R1, STD-WW-10R1, STD-WW-11R1 & STD-WW-12R1) ●
- Foul Inspection Chamber (STD-WW-13R1) ■
- Foul Sewer Line 150/225mm dia. (STD-WW-04, STD-WW-05, STD-WW-06R1, STD-WW-07 & STD-WW-08) —
- Foul house connection 100mm dia. (STD-WW-01, STD-WW-03 & STD-WW-04) —
- Proposed 100mm Polyethylene Foul Rising Main —
- Site Boundary —
- Proposed Storm Sewer Line —
- Proposed Storm MH ●
- Proposed Storm Tank □



| Rev | By | Date | Description |
|-----|----|-------|-------------|
| G | DM | 04/24 | IW Revision |

Drawing Status: **PLANNING**

Project Title:
 Residential Development at Inch / Coollegreen,
 Port Road, Killarney

Drawing Title:
 Proposed Sewer Lines
 Sheet 2 of 2

Client:
 Portal Asset Holdings Ltd.

M.H.L & Associates Ltd.
 Consulting Engineers

Unit 1b,
 The Atrium,
 Blackpool,
 Cork

Tel: 021-4840214
 Fax: 021-4840215
 E-Mail: info@mhl.ie

| | | |
|--|-------------------------------------|------------------------|
| Designed: DM | Drawn: DM | Checked: BM |
| Scale: 1:500 @A1 1:1000 @A3 | Date: APRIL 2024 | |
| Job No: 18137HD | Drawing No: PR-MHL-PS-P01 | Revision: _G |