


NOTES:
 All dimensions in metres.
 Do not scale from drawing.
 For any discrepancies found please consult with design office.
 This drawing is for PLANNING purposes only.
 Not for Construction.

Legend:
 Note: Drawing To Be Read in Conjunction With Irish Water: Water Infrastructure Standard Details Document Number: IW-CDS-5030-01 & Irish Water Code of Practice for Wastewater Infrastructure: IW-CDS-5030-03
 Standard separation distances refer to STD-WW-05 & STD-WW-06

- Foul Manhole (STD-WW-09R1, STD-WW-10R1, STD-WW-11R1 & STD-WW-12R1) ●
- Header Manhole (STD-WW-29) ●
- Foul Inspection Chamber (STD-WW-13R1) ■
- Foul Sewer Line 150/225mm dia. (STD-WW-04, STD-WW-05, STD-WW-06R1, STD-WW-07 & STD-WW-08) —
- Foul house connection 100mm dia. (STD-WW-01, STD-WW-03 & STD-WW-04) —
- Proposed 100mm Polyethylene Foul Rising Main —
- Site Boundary —

- IRISH WATER PUMP STATION NOTES**
1. Type 3 pumping stations to be located no closer than 15.0 metres to a property boundary.
 2. There shall be a clear opening in front of the gates to ensure adequate access.
 3. Kiosks to STD-WW-30 and STD-WW-31.
 4. fence and gate to STD-WW-25.
 5. Refer to STD-WW-32 for permeable, impermeable roadway and hardstanding area detail.
 6. Indicative layout relates to small pumping stations as per type 1, type 2 and type 3 in the Irish water code of practice for wastewater infrastructure.
 7. Lamp standard and lamp bollard locations to be site specific and to Irish water agreement. Refer to STD-WW-33 for details.



Rev	By	Date	Description

G	DM	04/24	IW Revision
Drawing Status:			
PLANNING			

Project Title:
 Residential Development at Inch / Coolgrean, Port Road, Killarney

Drawing Title:
 Proposed Wastewater Sewer Lines
 Sheet 1 of 2

Client:
 Portal Asset Holdings Ltd.



M.H.L & Associates Ltd.
 Consulting Engineers

Unit 1b,
 The Atrium,
 Blackpool,
 Cork

Tel: 021-4840214
 Fax: 021-4840215
 E-Mail: info@mhl.ie

Designed:	Drawn:	Checked:
DM	DM	BM
Scale:	Date:	
1:500 @A1 1:1000 @A3	APRIL 2024	
Job No:	Drawing No:	Revision:
18137HD	PR-MHL-PWS-P01	_G